

SARENA
TEXTILE INDUSTRIES

PIONEERS
WORKWEAR

PRODUCT CATALOGUE

ATPV 8 (cal/cm²) ATPV 10 (cal/cm²) ATPV 12 (cal/cm²) ATPV 13 (cal/cm²) ATPV 16 (cal/cm²) ASTM APPROVED ASTM 1506 ASTM APPROVED ASTM 1959



Advanced Protection | Unmatched Durability | Engineered for Excellence

GROUP VISION

To be a world class textile solutions provider, by leveraging our global positioning, and to create strong growth potential, thereby increasing value for our shareholders.




TABLE OF CONTENTS



Group Vision	01
Our Values	03
Sarena In The Kingdom Of Saudi Arabia	04
About Us	05
Value Added Services	06-07
Our Products & Future of safety	08
Multi-Norm Fabrics/Garments	09
FR & Non FR Shirts	10-17
Chino Pants	18-27
FR Denim Pants	28-31
FR & Non FR Coverall	32-40
FR & Non Pants & Shirts	41-48
IFR Shirts, Pants & Coveralls	49-53
Winter Jackets	54-58
Safety Vests (FR & Non-FR Twills)	59
Aprons (FR & Non-FR Denims & Twills)	61
Lab Coats (FR & Non-FR Twills)	62
Chef's Jacket (FR & Non-FR Twills)	63
Scrubs (FR & Non-FR Twills)	64
Puffer Jackets	65
Fashion wear (Denim Pants & Shorts)(Stretch & Non-Stretch)	66
Fashion wear (Cargo Pants & Chinos)(Stretch & Non-Stretch)	68
Sarena & Sustainability	69
How we measure up	71



OUR VALUES

01

Excellence

02

Significance

03

Institutionalization

SARENA

IN THE KINGDOM OF SAUDI ARABIA



In 2014, Sarena partnered with one of the leading uniform suppliers of the Kingdom of Saudi Arabia – Pioneers of Technical Solutions (PTS) – to supply comfortable, durable and reliable apparel for a range of vital industries, such as Oil, Gas and Petrochemical Production industries.

With our rich experience of serving diverse industries in North America, the E.U and the Gulf, Sarena brings a wealth of knowledge and a track record of superior customer service in Protective Apparel to our valuable customers.

We are able to commit to and deliver a mix of high quality and optimal price to our customers, thanks to a fully accredited and vertically integrated, state of the art production facility in Lahore, Pakistan.

PIONEERS OF TECHNICAL SOLUTIONS FOR TRADING CO

With a highly experienced and motivated workforce, a strong supply chain and diversified distribution channels, PTS is a leading workwear and uniform supplier of the Kingdom of Saudi Arabia.

PTS aspires to be one of the leading companies of the world in the field of Petrochemicals, Fire and Safety, with strategically located warehouses and offices to ensure swift and consistent supply to your doorstep.

The protection of life and property is our goal and we are always striving for this common good. The satisfaction of our customers is our top priority and we achieve this by ensuring transparency and full compliance to rigorous, international standards.

Sarena Textiles Industries is a cluster of vertically integrated, Textile production units, that deal in producing multiple textile products ranging from Dyed Yarn to Apparel and everything in between.

With rich experience of more than **50 years in textile Retail**, Manufacture and Export, Sarena is a fully accredited and credible textile solutions provider, with offices across the world; we proudly conduct all our operations with complete transparency and integrity.

We believe in forming long-term, mutually beneficial partnerships with our customers, based on sincerity, trust and the pursuit of the highest standards.




SARENA
TEXTILE INDUSTRIES

GROUP OF COMPANIES

YARN DYEING | WEAVING | DYEING | FINISHING | PRINTING | MANUFACTURING



A stock of ready goods at your door step and close to your business.



Products design in absolute compliance with latest regional legislation for performance EN standards of protective Apparel.



Use of durable, comfortable, affordable material and technologies best suited for the regional climate.

OUR VALUE ADDED SERVICES



Product research and design development to meet any specific requirement you may have.



A complete range of Supply chain material as embroidery, printing, distinctive products design features, customized sizes & special accessories.



Complete assurance of quality and performance of all products.



Reliable customer services to answer your questions, resolve complaints, show true business partnership and design custom solutions for your business.

OUR PRODUCTS

Excellent performance with durability & customized at EN standards



Flame Retardant



Arc Flash Protection



Dual Compliance



Superior Comfort



Excellent Colorfastness



High Visibility

FUTURE OF SAFETY

- Fr & Non Fr Twill (Pants, Shirts, Coverall, 2pcs Pant & Shirt, Jackets, Apron, Lab Coats)
- Fr & Non Fr Denim (Pants, Shirts, Coverall, 2pcs Pant & Shirt, Jackets, Apron, Lab Coats)
- Chef Coats
- Fr Safety Vest
- Fr & Non Fr Scrub Suits
- High Altitude Products
- Ppe Accessories
- Bags/caps
- Army Uniform
- Fashion Articles (Twil & Denim)

MULTI-NORM FABRICS/ GARMENTS

- 🚫 Proban FR
- 🔥 Heat Resistance
- ⚡ Arc Resistance
- 🔥 Molten Metal Protect
- 🧼 Antistatic Soil Release
- ☀️ Uv Protection
- 🌿 Acid Repellent
- 🧴 Chemical Repellent
- 💧 Water Oil Repellent
- 🦟 Mosquito Repellent
- 🔗 Inherent





FR OLYMPIA SHIRT

Fabric Specification

Weight:

175GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Chest pockets with flaps and snap buttons for secure storage
- Bartack at all stress points
- Additional tool pocket at shoulder



SIZE RANGE (CM)

SIZE	COLLAR/NECK LENGTH	LENGTH (From HPS)
S	36.00	74.50
M	38.50	76.50
L	41.00	78.50
XL	43.50	80.50
2XL	46.00	81.00
3XL	48.50	81.50
4XL	51.00	82.00
5XL	53.50	82.50

Colors

- Ocean Blue
- Grey
- Sand

Standards



FR SHIRT

(RANZOW)

Fabric Specification

Weight:

200GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Chest pockets with flaps and snap buttons for secure storage
- Bartack at all stress points
- Additional tool pocket at shoulder



SIZE RANGE (CM)

SIZE	COLLAR/NECK LENGTH	LENGTH (From HPS)
S	36.00	74.50
M	38.50	76.50
L	41.00	78.50
XL	43.50	80.50
2XL	46.00	81.00
3XL	48.50	81.50
4XL	51.00	82.00
5XL	53.50	82.50

Colors

- Ocean Blue
- Grey
- Sand
- Red

Standards



FR STRETCH SHIRT

(TOUCH STONE STRETCH WITH & WITHOUT NEGA)

Fabric Specification

Weight:

270GSM

Specialty:

Proban Fire Retardant & Antistatic Finish

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Chest pockets with flaps and snap buttons for secure storage
- Bartack at all stress points
- Additional tool pocket at shoulder



CATEGORY CAT 2 & ATPV RATING 10 CAL

SIZE RANGE (CM)

SIZE	COLLAR/NECK LENGTH	LENGTH (From HPS)
S	36.00	74.50
M	38.50	76.50
L	41.00	78.50
XL	43.50	80.50
2XL	46.00	81.00
3XL	48.50	81.50
4XL	51.00	82.00
5XL	53.50	82.50

Colors

- Ocean Blue
- Red
- Sand
- Grey

Standards



FR ANTISTATIC SHIRT WITH NEGA

(RAKAPOSHI)

Fabric Specification

Weight:

220GSM

Specialty:

Proban Fire Retardant & Antistatic Finish

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Chest pockets with flaps and snap buttons for secure storage
- Bartack at all stress points
- Additional tool pocket at shoulder



CATEGORY CAT 2 & ATPV RATING 10 CAL

SIZE RANGE (CM)

SIZE	COLLAR/NECK LENGTH	LENGTH (From HPS)
S	36.00	74.50
M	38.50	76.50
L	41.00	78.50
XL	43.50	80.50
2XL	46.00	81.00
3XL	48.50	81.50
4XL	51.00	82.00
5XL	53.50	82.50

Colors

- Ocean Blue
- Sand
- Red

Standards



FR STRETCH NEGA SHIRT

(REMMY-NEGA)

Fabric Specification

Weight:

220GSM

Specialty:

Proban Fire Retardant & anti static

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Chest pockets with flaps and snap buttons for secure storage
- Bartack at all stress points
- Additional tool pocket at shoulder



CAT 2 & ATPV RATING 11 CAL

SIZE RANGE (CM)

SIZE	COLLAR/NECK LENGTH	LENGTH (From HPS)
S	36.00	74.50
M	38.50	76.50
L	41.00	78.50
XL	43.50	80.50
2XL	46.00	81.00
3XL	48.50	81.50
4XL	51.00	82.00
5XL	53.50	82.50

Colors

-  Ocean Blue
-  Grey
-  Sand

Standards



FR E-ARC 12 CAL SHIRT

(BIYAS)

Fabric Specification

Weight:

288GSM

Specialty:

Proban Fire Retardant, Antistatic Finish & ARC Resistant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Chest pockets with flaps and snap buttons for secure storage
- Bartack at all stress points
- Additional tool pocket at shoulder



CATEGORY CAT 2 & ATPV RATING 12 CAL

SIZE RANGE (CM)

SIZE	COLLAR/NECK LENGTH	LENGTH (From HPS)
S	36.00	74.50
M	38.50	76.50
L	41.00	78.50
XL	43.50	80.50
2XL	46.00	81.00
3XL	48.50	81.50
4XL	51.00	82.00
5XL	53.50	82.50

Colors

- Ocean Blue
- Sand
- Grey
- Navy

Standards



NON-FR EXECUTIVE SHIRT

(OXFORD YARN DYED)

Fabric Specification

Weight:

170GSM

Specialty:

Oxford yarn dyed

Care Instructions



Maximum washing temperature 40 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Breathable, Soft to wear
- Fit to body and executive look
- Superior colorfastness
- 3% washing shrinkage



Colors

Sky Blue

Grey

White

SIZE RANGE (CM)

SIZE	COLLAR/NECK LENGTH	LENGTH (From HPS)
S	36.00	74.50
M	38.50	76.50
L	41.00	78.50
XL	43.50	80.50
2XL	46.00	81.00
3XL	48.50	81.50
4XL	51.00	82.00
5XL	53.50	82.50



**FR CHINO
PANTS**

FR ARIZONA PANT

Fabric Specification

Weight:

195GSM

Specialty:

Proban Fire Retardant

Care Instructions



Do not
bleach



Professional
dry cleaning



Iron at a maximum
sole-plate
temperature of 150 °C



Do not
tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Bone pockets at back
- Two Front side pockets

Standards



SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

Colors

■ Dark Navy

FR PANTS/ALASKA

Fabric Specification

Weight:

240GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Bone pockets at back
- Two Front side pockets



— CATEGORY CAT 2 & ATPV RATING 8 CAL

SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

Colors

■ Dark Navy

Standards



FR TOUCHSTONE STRETCH PANTS

(WITH NEGA)

Fabric Specification

Weight:

275GSM

Specialty:

Proban Fire Retardant & Anti Static

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Bone pockets at back
- Two Front side pockets



CATEGORY CAT 2 & ATPV RATING 10 CAL

SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

Colors

- Dark Navy
- Black
- Khaki

Standards



FR E-ARC 12 CAL PANTS

(BIYAS)

Fabric Specification

Weight:

288GSM

Specialty:

Proban Fire Retardant, Antistatic Finish & ARC Resistant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Bone pockets at back
- Two Front side pockets

Standards



■ CATEGORY CAT 2 & ATPV RATING 12 CAL

SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

Colors

■ Dark Navy

■ Black

FR CARGO TROUSERS

(ALASKA Stretch)

Fabric Specification

Weight:

240GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Bone pockets at back
- Two Front side pockets



CATEGORY CAT 2 & ATPV RATING 8 CAL

SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

Colors

■ Dark Navy

Standards



NON FR WILLEX TROUSER

(ASTRO)

Fabric Specification

Weight:

240GSM

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Do not tumble dry

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Bone Pockets at back
- Front WB With Draw cord
- High Vis Yellow Reflective tape or grey Reflective tape
- Side Bellow Cargo Pockets.
- Bartack at all stress point



SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

Colors

 Dark Navy

 Black

 Grey

FR PANTS/ALASKA STRETCH

Fabric Specification

Weight:

240GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Bone pockets at back
- Two Front side pockets



■ CATEGORY CAT 2 & ATPV RATING 8 CAL

SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

Colors

■ Dark Navy

Standards



NON FR CHINO PANT

PC 65:35

Fabric Specification

Weight:

240GSM

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Do not tumble dry

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Bone Pockets at back
- Two front side pockets
- Bartack at all stress point



SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

Colors

- Dark Navy
- Black
- Khaki

NON FR CHEF PANT

PC 65:35/STRIPE

Fabric Specification

Weight:

200GSM

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Do not tumble dry

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Bone Pockets at back
- Two front side pockets
- Bartack at all stress point



SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

Colors

Black & White



EXCLUSIVE NEW PRODUCT
FR DENIM PANTS

Today's workers are looking for the fits, features and finishes of retail-ready denim, but with proven Flame-Resistant protection.



Sarena is at their service!

FR DENIM PANTS WASHED PROGRAMME

(STRETCH & WITHOUT STRETCH)

Fabric Specification

Weight:

280-320GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Resilient to Heat
- Excellent performance with durability & thickness
- Fairly high energy exposure
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- 5 Pkt's products

Standards



■ CATEGORY CAT 1 & 2
& ATPV RATING 8, 10 & 12 CAL

SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

Colors

■ Dark Navy

■ Mid Navy

FR DENIM PANTS

(STRETCH & WITHOUT STRETCH/ REFLECTIVE TAPE)

Fabric Specification

Weight:

280-320GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Resilient to Heat
- Excellent performance with durability & thickness
- Fairly high energy exposure
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- 5 Pkt's products

Standards



■ CATEGORY CAT 1 & 2 & ATPV RATING 8, 10 & 12 CAL

SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

Colors

■ Dark Navy

■ Mid Navy



COVERALL

FR JUPITER COVERALL

100% CTN

Fabric Specification

Weight:

250GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- Double 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff/Extra side pockets with snap buttons
- Chest pockets with flaps and snap buttons for secure storage
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points



■ CATEGORY CAT 2 & ATPV RATING 8 CAL

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50

Colors

- Royal Blue
- Navy Blue

Standards



FR SAFE EXPRESS COVERALL

100% CTN (BOLAN)

Fabric Specification

Weight: 255GSM
Specialty: Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- Double 2.5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff/Extra side pockets with snap buttons
- Chest pockets with flaps and snap buttons for secure storage
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points



CATEGORY CAT 2 & ATPV RATING 8.7 CAL

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50

Colors

- Royal Blue
- Navy Blue
- Red
- Green
- White
- Orange
- Grey
- Yellow

Standards



FR COVERALL HI VIS YELLOW TAPE

100% CTN (SAFE EXPRESS)

Fabric Specification

Weight: 255GSM
Specialty: Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- Double 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff/Extra side pockets with snap buttons
- Chest pockets with flaps and snap buttons for secure storage
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points



■ CATEGORY CAT 2 & ATPV RATING 8.7 CAL

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50

Colors

- Royal Blue
- Navy Blue
- Red
- Light Royal Blue
- Orange
- Grey
- Yellow
- Khaki

Standards



FR TOUCH STONE STRETCH NEGA COVERALL

STRETCH NEGA

Fabric Specification

Weight:

275GSM

Specialty:

Proban Fire Retardant & Anti Static

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- Double 2.5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff/Extra side pockets with snap buttons
- Chest pockets with flaps and snap buttons for secure storage
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points



CATEGORY CAT 2
& ATPV RATING 10 CAL

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50

Colors

- Royal Blue
- Navy Blue

Standards



FR 12 CAL COVERALL

((BIYAS) E-ARC)

Fabric Specification

Weight:

288GSM

Specialty:

Proban Fire Retardant, Antistatic Finish & ARC Resistant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Excellent colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- Double FR reflective tape 2.5CM with Minimum 330cd/lx.m2 reflection value
- Flexible adjustments at cuff with Velcro TAB
- Chest Pockets with flaps & Snap buttons for Secure Storage
- Double slider Metal Zipper at front Chest opening for easy to wear
- Bartack at all stress points/Extra side pockets with Snap buttons
- Triple Needle stitch at seam for lifetime Strength
- Extra Airy pockets at bottom in addition to side pockets



CATEGORY CAT 2 & ATPV RATING 12 CAL

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50

Colors

- Green
- Orange
- Navy Blue
- White

Standards



FR WELDING COVERALL

Fabric Specification

Weight: 340GSM
Specialty: Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- Double 2.5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff/Extra side pockets with snap buttons
- Chest pockets with flaps and snap buttons for secure storage
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points



■ CATEGORY CAT 2 & ATPV RATING 12 CAL

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	146.00
M	61.00	69.00	150.00
L	63.00	71.00	154.00
XL	65.00	73.00	158.00
2XL	67.00	75.00	162.00
3XL	69.00	77.00	166.00
4XL	71.00	79.00	170.00
5XL	73.00	81.00	174.00
6XL	75.00	83.00	178.00

Colors

■ Navy Blue

Standards



FR CHEMICAL PROTECTION COVERALL

Fabric Specification

Weight:

350GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- Particular for welding job
- Double 2.5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff
- Chest pockets with flaps and snap buttons for secure storage
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points



CATEGORY CAT 2 & ATPV RATING 13 CAL

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	146.00
M	61.00	69.00	150.00
L	63.00	71.00	154.00
XL	65.00	73.00	158.00
2XL	67.00	75.00	162.00
3XL	69.00	77.00	166.00
4XL	71.00	79.00	170.00
5XL	73.00	81.00	174.00
6XL	75.00	83.00	178.00

Colors

 Navy Blue

Standards



NON-FR 220 GSM REFLECTIVE COVERALL



Fabric Specification

Weight:
220GSM

Care Instructions



Maximum washing
temperature 60 °C
normal process



Do not
bleach



Professional
dry cleaning



Do not
tumble dry

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points

Colors

-  Royal Blue
-  Navy Blue
-  Red
-  Khaki
-  Orange
-  Grey
-  Green

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	57.00	65.00	142.00
M	59.00	67.00	146.00
L	61.00	69.00	150.00
XL	63.00	71.00	154.00
2XL	65.00	73.00	158.00
3XL	67.00	75.00	162.00
4XL	69.00	77.00	166.00
5XL	71.00	79.00	170.00



2 PCS (PANTS & SHIRTS)

FR 2 PC JUPITER PANTS & SHIRTS

(JUPITER)

Fabric Specification

Weight: 250GSM
Specialty: Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Do not tumble dry

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Chest Pockets with flaps and snap buttons.
- Bartack at all stress points

Standards



CATEGORY CAT 2 & ATPV RATING 8 CAL

SIZE RANGE (CM)

SIZE	PANT		SHIRT	
	WAIST (HALF)	LENGTH	COLLAR/NECK	LENGTH
S	43.00	42.00		
M	45.00	43.00		
L	47.00	44.00		
XL	49.00	45.00		
2XL	51.00	46.00		
3XL	53.00	47.00		
4XL	55.00	48.00		
5XL	57.00	49.00		
6XL	59.00	50.00		
7XL	61.00	51.00		
8XL	63.0	52.00		
9XL	65.00	53.00		

Colors

- Royal Blue
- Navy Blue
- Red
- Orange
- Grey
- Khaki

FR 2 PC SAFE EXPRESS PANTS & SHIRTS

(BOLAN)

Fabric Specification

Weight: 255GSM
Specialty: Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Do not tumble dry

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Chest Pockets with flaps and snap buttons.
- Bartack at all stress points

Standards



CATEGORY CAT 2 & ATPV RATING 8.7 CAL

SIZE RANGE (CM)

	PANT	SHIRT
SIZE	WAIST (HALF)	COLLAR/NECK LENGTH
S	43.00	42.00
M	45.00	43.00
L	47.00	44.00
XL	49.00	45.00
2XL	51.00	46.00
3XL	53.00	47.00
4XL	55.00	48.00
5XL	57.00	49.00
6XL	59.00	50.00
7XL	61.00	51.00
8XL	63.0	52.00
9XL	65.00	53.00

Colors

- Royal Blue
- Navy Blue
- Red
- Orange
- Grey
- Khaki

FR 2 PC 12 CAL PANTS & SHIRTS

(BIYAS) E-ARC

Fabric Specification

Weight:

288GSM

Specialty:

Proban Fire Retardant, Antistatic Finish & ARC Resistance

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Excellent colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Elasticated waist for close fitting at Pant
- Double reflective tape 2.5CM with Minimum 330cd/lx.m2 reflection value
- Chest Pockets with flaps & Snap buttons for Secure Storage
- Bartack at all stress points



CATEGORY CAT 2
& ATPV RATING 12 CAL

SIZE RANGE (CM)

	PANT	SHIRT
SIZE	WAIST (HALF)	COLLAR/NECK LENGTH
S	43.00	42.00
M	45.00	43.00
L	47.00	44.00
XL	49.00	45.00
2XL	51.00	46.00
3XL	53.00	47.00
4XL	55.00	48.00
5XL	57.00	49.00
6XL	59.00	50.00
7XL	61.00	51.00
8XL	63.0	52.00
9XL	65.00	53.00
10XL	67.00	54.00

Colors

- Royal Blue
- Navy Blue

Standards



FR 13 CAL SPLASH GUARD PANTS & SHIRTS

(INDUS)

Fabric Specification

Weight:

345GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Elasticated waist for close fitting
- Additional Adjustment for fitting at cuff
- Bartack at all stress points
- Special coated buttons at front



CATEGORY CAT 2
& ATPV RATING 13 CAL

SIZE RANGE (CM)			
SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50
7XL	77.00	85.00	185.50
8XL	79.00	87.00	189.50
9XL	81.00	89.00	193.50

Colors

- Royal Blue
- Navy Blue

NON-FR REFLECTIVE PANTS & SHIRT

Fabric Specification

Weight:

220GSM

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Do not tumble dry

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Double Slider zipper at front chest opening for easy to wear
- Bartack at all stress points



Colors

- Royal Blue
- Navy Blue

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	57.00	65.00	142.00
M	59.00	67.00	146.00
L	61.00	69.00	150.00
XL	63.00	71.00	154.00
2XL	65.00	73.00	158.00
3XL	67.00	75.00	162.00
4XL	69.00	77.00	166.00
5XL	71.00	79.00	170.00

FR 2 PC SAFE EXPRESS PANTS & SHIRTS (CONTRAST)

(BOLAN)

Fabric Specification

Weight: 255GSM
Specialty: Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Do not tumble dry

Product Features

- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff.
- Chest Pockets with flaps and snap buttons.
- Bartack at all stress points

Standards



■ CATEGORY CAT 2 & ATPV RATING 8.7 CAL

SIZE RANGE (CM)

	PANT	SHIRT
SIZE	WAIST (HALF)	COLLAR/NECK LENGTH
S	43.00	42.00
M	45.00	43.00
L	47.00	44.00
XL	49.00	45.00
2XL	51.00	46.00
3XL	53.00	47.00
4XL	55.00	48.00
5XL	57.00	49.00
6XL	59.00	50.00
7XL	61.00	51.00
8XL	63.0	52.00
9XL	65.00	53.00

Colors

- Royal Blue
- Navy Blue
- Red
- Orange
- Grey
- Khaki

AMAROMA PANTS & SHIRTS

Fabric Specification

Weight:
230GSM

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Do not tumble dry

Product Features

- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Additional Adjustment for fitting at cuff
- Double layer fabric making
- Additional tool pockets inner side.
- High quality Vislon 2 WAY Zipper at front
- Chest Pockets with flaps and snap buttons.
- Bartack at all stress points



SIZE RANGE (CM)

	PANT	SHIRT
SIZE	WAIST (HALF)	COLLAR/NECK LENGTH
S	43.00	42.00
M	45.00	43.00
L	47.00	44.00
XL	49.00	45.00
2XL	51.00	46.00
3XL	53.00	47.00
4XL	55.00	48.00
5XL	57.00	49.00
6XL	59.00	50.00
7XL	61.00	51.00
8XL	63.0	52.00
9XL	65.00	53.00
10XL	67.00	54.00

Colors

- HI VIS Orange
- HI VIS Yellow

INHERENT FLAME RETARDANT (IFR)

- Pants
- Shirts
- Coveralls
- 2 Pc Coveralls (Pants & Shirts)

**High Thermal Protective
Performance (TPP)**



IFR ROCK 150 GSM SHIRT

(93% META ARAMID 5% PARA ARAMID 2% ANTISTATIC)

Fabric Specification

Weight:

150GSM

Specialty:

Inherent Fire Retardant(IFR) & Antistatic Finish

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Excellent colorfastness. 3% washing shrinkage
- Inherent FR Properties lasts lifetime of the fabric
- FR Sewing thread & Buttons
- FR Properties lasts lifetime of the fabric
- Chest pockets with flaps
- All Labelling NON FR
- Bartack at all stress points



SIZE RANGE (CM)

SIZE	COLLAR/ NECK LENGTH	LENGTH (From HPS)
S	36.00	74.50
M	38.50	76.50
L	41.00	78.50
XL	43.50	80.50
2XL	46.00	81.00
3XL	48.50	81.50
4XL	51.00	82.00
5XL	53.50	82.50

Colors

- Ocean Blue
- Grey
- Beige

Standards



IFR MERCK 190 PANTS

(74% META ARAMID 5% PARA ARAMID 19% MOD 2% ANTI)

Fabric Specification

Weight: 190GSM
Specialty: Inherent FR

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Bone pockets at back
- Two Front side pockets
- All Labelling NON FR
- FR THREAD, ZIPPER, BUTTONS

Standards



CAT 2 & ATPV- 9.4

SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55.5	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

Colors

■ Dark Navy

INHERENT/FLAME RETARDANT COVERALL

(ROCK 150)(93% META ARAMID 5% PARA ARAMID 2% ANTISTATIC)

Fabric Specification

Weight:

150GSM

Specialty:

Inherent Fire Retardant(IFR) & Antistatic Finish

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Excellent colorfastness. 3% washing shrinkage
- Inherent FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- FR reflective tape 2.5CM with Minimum 330cd/lx.m2 reflection value
- Flexible adjustments at cuff with Snap Buttons
- Chest Pockets with flaps & Snap buttons for Secure Storage
- Permanent sewn crease line at front Panel
- Back pockets (One is with Flap & snap button)
- FR Sewing thread & Snap Button
- FR Double slider Metal Zipper at front Chest opening for easy to wear
- Bartack at all stress points



CATEGORY CAT 1
& ATPV RATING 4.1 CAL

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50
7XL	77.00	85.00	185.50
8XL	79.00	87.00	189.50
9XL	81.00	89.00	193.50

Colors

- Royal Blue
- Light Royal Blue

Standards



IFR MERCK 190 COVERALL

(74% META ARAMID 5% PARA ARAMID 19% MOD 2% ANTI)

Fabric Specification

Weight:

190GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Breathable, Soft to wear & Fantastic to Touch
- Excellent colorfastness. 3% washing shrinkage
- Inherent FR Properties lasts lifetime of the fabric
- Additional tool pockets at sleeves & bottom side seams
- Elasticated waist for close fitting
- FR reflective tape 2.5CM with Minimum 330cd/lx.m2 reflection value
- Flexible adjustments at cuff with Snap Buttons
- Chest Pockets with flaps & Snap buttons for Secure Storage
- Permanent sewn crease line at front Panel
- Back pockets (One is with Flap & snap button)
- FR Sewing thread & Snap Button
- FR Double slider Metal Zipper at front Chest opening for easy to wear
- Bartack at all stress points



CATEGORY CAT 2
APTV 9.4

SIZE RANGE (CM)

SIZE	WAIST	INSEAM	LENGTH (HPS-BTM)
S	59.00	67.00	149.50
M	61.00	69.00	153.50
L	63.00	71.00	157.50
XL	65.00	73.00	163.50
2XL	67.00	75.00	165.50
3XL	69.00	77.00	169.50
4XL	71.00	79.00	173.50
5XL	73.00	81.00	177.50
6XL	75.00	83.00	181.50
7XL	77.00	85.00	185.50
8XL	79.00	87.00	189.50
9XL	81.00	89.00	193.50

Colors

Dark Navy

Standards



A man with a beard and short hair, wearing a dark grey winter jacket with reflective silver stripes on the sleeves and chest, is working on a piece of machinery. He is using a screwdriver to adjust a component. The background shows a factory setting with various equipment and a yellow metal frame.

WINTER JACKETS

FR WINTER JACKET WITH HOOD

(ALASKA)

Fabric Specification

Weight: 250GSM
Specialty: Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Quilting inside to warm the body
- 2.5cm FR Reflective Tape At shoulder & Arms
- High quality Vislon Zipper at front
- Front Pockets with Flap
- Two Front side pockets



CATEGORY CAT 2 & ATPV RATING 8 CAL

SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	62.00	70.50
M	64.00	72.50
L	66.00	74.50
XL	68.50	76.50
2XL	70.00	78.00
3XL	72.50	80.50
4XL	74.00	82.00
5XL	76.50	84.50

Colors

- Royal Blue
- Dark Navy

Standards



FR WINTER JACKET W/HOOD

(BIYAS-288GSM)

Fabric Specification

Weight:

288GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Quilting inside to warm the body
- 2.5cm FR Reflective Tape At shoulder & Arms
- High quality Vislon Zipper at front
- Zip at Back Neck for Hood
- Two Front side pockets



CATEGORY CAT 2 & ATPV RATING 12 CAL

SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	62.00	70.50
M	64.00	72.50
L	66.00	74.50
XL	68.50	76.50
2XL	70.00	78.00
3XL	72.50	80.50
4XL	74.00	82.00
5XL	76.50	84.50

Colors

■ Dark Navy

Standards



INNEX JACKET (NON FR)

(95% POLYESTER 5% ELASTAN)

Fabric Specification

Weight:

320GSM

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- Mesh inside to warm the body
- High quality Vislon Zipper at front
- 2 Side pockets with zip,
- Adjustable bottom with internal drawstring.
- Elastic tube with a diameter of 3 mm.
- Apply Plastic stoppers for adjustment and locking
- Detachable Hood with zip



Colors

 Dark Navy

 Black

SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	48	70
M	51	70
L	54	72
XL	60	74
2XL	63	74
3XL	66	76
4XL	69	76

NON FR WINTER JACKET

(PC 65:35)

Fabric Specification

Weight:

250GSM

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Quilting inside to warm the body
- Reflective tape binding at front
- High quality Vislon Zipper at front
- Two Front side pockets



SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	62.00	70.50
M	64.00	72.50
L	66.00	74.50
XL	68.50	76.50
2XL	70.00	78.00
3XL	72.50	80.50
4XL	74.00	82.00
5XL	76.50	84.50

Colors

 Dark Navy



SAFETY VESTS

(FR & NON-FR TWILLS)

Fabric Specification

Weight:

200GSM-270GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Cover cloths from stains
- 5cm Reflective Tape with 330cd/lx.m2 reflection value
- Zipper at front – High quality of Vislon

Standards



CATEGORY CAT 1&2
& ATPV RATING
8CAL-13CAL

Colors

- Yellow
- Black
- Green
- Orange

SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	58.00	65.00
M	60.00	67.00
L	62.00	68.00
XL	64.50	69.00
2XL	66.00	70.00
3XL	68.50	71.00
4XL	70.00	72.00
5XL	72.50	73.00

APRONS

(FR, NON-FR, DENIMS & TWILLS)

Fabric Specification

Weight:

200GSM-270GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Cover cloths from stains
- Metal Rivets upon requirement

Standards



CATEGORY CAT 1&2 & ATPV RATING 8CAL-13CAL

SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	24.00	31.00
M	25.00	32.00
L	26.00	33.00
XL	27.00	34.00
2XL	28.00	35.00
3XL	29.00	36.00
4XL	30.00	37.00
5XL	31.00	38.00

Colors

- Royal Blue
- Dark Navy
- Red
- Denim Wash
- Green
- Grey
- Khaki

LAB COATS

(FR, NON-FR & TWILLS)

Fabric Specification

Weight:

200GSM-270GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Cover cloths from stains
- Front two pocket bags for Doctors own personal material to keep



CATEGORY CAT 1&2 & ATPV RATING 8CAL-13CAL

SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	57.00	98.00
M	59.00	100.00
L	61.00	102.00
XL	63.00	104.00
2XL	65.00	106.00
3XL	67.50	108.00
4XL	69.00	110.00
5XL	71.00	112.00

Colors

Dark Navy

Red

White

Grey

Standards



CHEF'S JACKET

(FR, NON-FR & TWILLS)

Fabric Specification

Weight:

200GSM-270GSM

Specialty:

Proban Fire Retardant

Care Instructions



Maximum washing temperature 60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Ultimate protection against Flame & ARC Flash Hazards
- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- FR Properties lasts lifetime of the fabric
- Cover cloths from stains
- Front bone pocket & buttons at front plackets



CATEGORY CAT 1&2
& ATPV RATING
8CAL-13CAL

SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	50.00	70.00
M	55.00	72.00
L	60.00	74.00
XL	65.00	76.00
2XL	70.00	78.00
3XL	75.00	80.00
4XL	80.00	82.00
5XL	85.00	84.00

Colors

 Dark Navy

 White

Standards



2 PC SCRUBS

(NON-FR & TWILLS-STRETCH)

Fabric Specification

Weight:

175GSM-240GSM

Care Instructions



Maximum washing temperature 40 °C-60 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Resilient to Heat
- Excellent performance with durability & thickness
- Fairly high energy exposure
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- 3% washing shrinkage
- 5 Pkt's products



Colors

- Light Royal Blue
- Red
- White
- Olive

SIZE RANGE (CM)

SIZE	CHEST	LENGTH HPS-BTM
S	50.00	70.00
M	55.00	72.00
L	60.00	74.00
XL	65.00	76.00
2XL	70.00	78.00
3XL	75.00	80.00
4XL	80.00	82.00
5XL	85.00	84.00

PUFFER JACKETS

All Types

WINTER ESSENTIALS

Speciality: Organic & Synthetic Filling





PANTS, SHORTS, DENIM 5 PKT PANTS

(STRETCH & NON-STRETCH)

Fabric Specification

Weight: 8 OZ-12 OZ
Speciality: Highly Indigo

Special Process GWP

Dry process/PP Spray/Grinding/Patches /Ripping/Moustaches/ 3D Wrinkles

Care Instructions



Maximum washing temperature 40 °C normal process



Iron at a maximum sole-plate temperature of 150 °C



Do not bleach



Professional dry cleaning



Do not tumble dry

Wash Colors

Dark Wash
Mid Wash
Light/bleach Wash
Random Acid Wash

FIT

SLIM – SKINNY – STRAIGHT



SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	40	81
30	42	81
32	44	81
34	46	81
36	48	81
38	51	81
40	53	81
42	55	81
44	57	81
46	59	81
48	61.5	81
50	64	81
52	66.5	81
54	69	81
56	71.5	81

Product Features

- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- Normal Pockets at back panel
- Two Front scoop pockets
- Zip Fly or Button Fly
- Printed & Plain Pocket bags

CARGO PANTS & CHINOS

(STRETCH & NON-STRETCH FASHIONWEAR)

Colors

All Types of Colors

Fabric Specification

Weight:

6 OZ-12 OZ

Specialty:

Peach Finishes qualities

Care Instructions



Maximum washing temperature 40 °C normal process



Do not bleach



Professional dry cleaning



Iron at a maximum sole-plate temperature of 150 °C



Do not tumble dry

Product Features

- Excellent performance with durability
- Breathable, Soft to wear & Fantastic to Touch
- Superior colorfastness
- Bone pockets at back
- Two Front side pockets
- Elasticated WB Or Without Elasticated WB
- Zip Fly or Button Fly
- Printed & Plain Pocket bags



SIZE RANGE (CM)

SIZE	WAIST (HALF)	INSEAM
28	38.00	81.00
30	40.50	81.00
32	43.00	81.00
34	45.50	81.00
36	48.00	81.00
38	50.50	81.00
40	53.00	81.00

FIT

SLIM - SKINNY - STRAIGHT

SARENA'S SUSTAINABILITY INITIATIVE

EXCELLENCE | SIGNIFICANCE | INSTITUTIONALIZATION

Our Certifications

In line with our promise to be an internationally accredited manufacturer with sustainable and environmentally responsible practices, Sarena is fully certified and compliant with the following accreditations:

PRODUCT STEWARDSHIP



SOCIAL STEWARDSHIP



ENVIRONMENTAL STEWARDSHIP



SARENA'S SUSTAINABILITY INITIATIVE

Where We Stand
Vis A Vis
International
Benchmarks

References

Water, Steam & Energy Consumption Benchmarking

Ref Document




<https://eippcbjrc.ec.europa.edreference/txt.html>

GHG Emission Benchmarking

Yan, Y., et al., Industrial carbon Footprint of several typical Chinese textile Fabrics.

Acta Ecologica Sinica, 2016.36(3): p. 119-125.

https://www.researchgate.net/publication/303634993_Industrial_carbon_footprint_of_several_typical_Chinese_textile_fabrics



PIONEERS

WORKWEAR

SAUDI ARABIA

 **HEAD OFFICE:** KING KHALID BRANCH RD,
IBN SINA, AL KHOBAR - 34627, KSA

FARHAN ASHRAF

CEO

 farhan@pioneersfrc.com

NASSER MOHAMMED ALHARBI

MANAGING DIRECTOR

 nasser@pioneersfrc.com


www.pioneersfrc.com
www.sarenapk.com

Branches & Warehouses

JUBAIL

 **OFFICE:** KING FAISAL WEST ROAD
AL-JUBAIL,35518

**RUKHSAR
AHMAD KHAN**



+966 55 485 7910



rukhsar@pioneersfrc.com

KHOBAR

 **OFFICE:** KING KHALID BRANCH RD,
IBN SINA, AL KHOBAR, 34627

**HAMID
MUKHTAR**



+966 54 348 2836



hamid@pioneersfrc.com

RIYADH

 **OFFICE:** AL MASHAEL ISTANBUL
STREET, AI SULAY EXIT-18 RIYADH

**MOHSIN
SHAFIQUE**



+966 56 578 8143



crm@pioneersfrc.com

JEDDAH

 **OFFICE:** SAHAFI STREET,
AL AZIZIYAH JEDDAH,23342

**SHEIKH
MOHSIN**



+966 53 749 8048



mohsin@pioneersfrc.com